# D 110211

(Pages: 3)

Nam	e	•••••	 •••••	••
Reg.	No		 	

## FIFTH SEMESTER (CBCSS—UG) DEGREE EXAMINATION NOVEMBER 2024

Mathematics

MTS 5B 08—LINEAR PROGRAMMING

(2020 Admission onwards)

Time : Two Hours

Maximum : 60 Marks

#### Section A ((Short Answer Type)

All questions can be answered. Each question carries 2 marks. Ceiling 20 Marks.

1. Draw the set of points (x, y) satisfying the constraints

 $2x + y \le 8$ ,  $x + 2y \le 10$ ,  $x \ge 0$ ,  $y \ge 0$ .

- 2. Write the canonical maximization linear programming problem.
- 3. Define a convex subset of  $\mathbb{R}^2$ . Also draw a convex set and a non-convex set in  $\mathbb{R}^2$ .
- 4. Let S be a convex set in  $\mathbb{R}^2$ . Define an extreme point of S.
- 5. Consider the canonical maximum tableau below :

x	у	-1		
1	2	3	$= -t_1$	
4	5	6	$= -t_2$	
7	8	9	= f	

State the canonical maximization linear programming problem represented by the tableau above.

- 6. Write the canonical slack maximization linear programming problem.
- 7. State Von-Neumann Minimax Theorem.
- 8. What is complementary slackness of a dual canonical linear programming problem ?

**Turn over** 

```
533064
```

- 9. What is the basic feasible solution of a balanced transportation problem ?
- 10. Define hyper plane and closed half-space of  $\mathbb{R}^n$ .
- 11. What is the mixed strategy of a matrix game ?
- 12. What is the general balanced assignment problem ?

#### Section B (Paragraph/Problem Type)

All questions can be answered. Each question carries 5 marks. Ceiling 30 marks.

13. Solve graphically : Maximize f(x, y) = 30x + 50y subject to

 $2x + y \le 8, x + 2y \le 10, x \ge 0, y \ge 0.$ 

- 14. State Duality Theorem.
- 15. Solve the transportation problem given below :

7	2	4	10
10	5	9	20
7	3	5	30
20	10	30	

16. Solve the assignment problem given below :

38	21	34
41	14	36
28	20	25

- 17. Write the simplex algorithm for Maximum Tableau's.
- 18. Find the von Neumann value and the optimal strategy for each player in the matrix games below :

- 1	1	- 1	2
- 1	- 1	1	1
0	1	1	- 1

19. What is a two-person zero-sum matrix game?

#### Section C (Essay Type)

Answer any **one** of the following questions. The question carries 10 marks.

20. Solve the canonical linear programming problem using simplex algorithm to the minimum tableau given below :

<i>x</i> <sub>1</sub>	20	25	300
$x_2$	40	20	500
-1	1000	800	0
	= <i>t</i> <sub>1</sub>	$=t_2$	= g

21. Solve the following maximization problem :

Maximize f(x, y) = x + 3y subject to  $x + 2y \le 10, \ 3x + y \le 15, \ x \ge 0, y$  is unconstrained.

 $(1 \times 10 = 10 \text{ marks})$ 

D 50668

(Pages : 4)

Name.	•••••	•••••	•••••
Reg. N	Jo		

# FIFTH SEMESTER (CBCSS—UG) DEGREE EXAMINATION NOVEMBER 2023

Mathematics

MTS 5B 08—LINEAR PROGRAMMING

(2020 Admission onwards)

Time : Two Hours

Maximum : 60 Marks

#### Section A

Answer any number of questions. Each question carries 2 marks. Ceiling is 20.

- 1. Define polyhedral convex set. Give an example of a polyhedral convex set in  $\mathbb{R}^2$ .
- 2. Convert the following linear programming problem into canonical form :

Maximize f(x, y) = -2y - x subject to  $2x - y \ge -1$   $3y - x \le 8$  $x, y \ge 0.$ 

- 3. Define canonical slack maximization linear programming problem.
- 4. Pivot on 5 in the canonical maximimum tableau given below :

$x_1$	$x_2$	- 1		
1	2	3	=	$-t_1$
4	5	6	=	$-t_2$
7	8	9	=	f

- 5. Define negative transpose.
- 6. If a canonical maximization linear programming problem is unbounded, prove that the dual canonical minimization linear programming problem is infeasible.

**Turn over** 

```
417166
```

- 7. Explain the following terms :
  - a) Two person zero sum game ;
  - b) Pay off matrix ; and
  - c) Domination in matrix game.
- 8. State Von Neumann minimax theorem.
- 9. Let  $x, y \in \mathbb{R}$  and consider the matrix game given below :

$$\begin{bmatrix} I \ I \\ x \ 0 \\ 0 \ y \end{bmatrix}$$

Determine a necessary and sufficient condition for the matrix game above to reduce by domination to a single entry.

- 10. Distinguish between balanced and unbalanced transportation problem.
- 11. Explain briefly the north west corner method to obtain the initial basic feasible solution in transportation problem.
- 12. Define cycle in a tableau of a bounded transportation problem and give an example.

#### Section B

Answer any number of questions. Each question carries 5 marks. Ceiling is 30.

13. Using graphical method to solve the following linear programming problem :

Maximize f(x, y) = x + y subject to

 $x - y \le 3$  $2x + y \le 12$  $0 \le x \le 4$  $0 \le y \le 6.$ 

14. Write the simplex algorithm for maximum tableaus.

15. Solve the noncanonical linear programming problem given below :

```
Maximize f(x, y, z) = 2x + y - 2z subject to

x + y + z \le 1

y + 4z > 2

x, y, z \ge 0.
```

- 16. Prove that a pair of feasible solutions of dual canonical linear programming problems exhibit complementary slackness if and only if they are optimal solutions.
- 17. Solve the dual canonical linear programming problem given below :

	$x_1$	$x_2$	- 1		
$y_1$	- 1	- 1	- 3	=	$-t_{1}$
$\mathcal{Y}_2$	1	1	2	=	$-t_{2}$
- 1	2	- 4	0	=	f
	$=s_1$	$=s_2$	= <i>g</i>		

18. Find the von Neumann value and the optimal strategy for each player in the matrix game given below :

	II	
2	- 3	2
- 3	4	- 3
2	- 3	6
	- 3	2 - 3 - 3 4

19. Solve the following transportation problem :

2	1	2	40
9	4	7	60
1	2	9	10
40	50	20	

**Turn over** 

D 50668

## Section C

## Answer any **one** question. The question carries 10 marks.

20. Apply simplex algorithm to solve the following maximum tableau :

$x_1$	$x_2$	- 1	_	
- 1	-2	- 3	=	$-t_1$
1	1	3	=	$-t_2$
1	1	2	=	$-t_3$
- 2	4	0	=	f

21. Write the Hungarian algorithm. Using this algorithm solve the following assignment problem;

4	6	5	10
10	9	7	13
7	11	8	13
12	13	12	17

 $(1 \times 10 = 10 \text{ marks})$ 

**D** 30571

Nam	e	•••••	•••••	 	•••••
Reg.	No				

## FIFTH SEMESTER (CBCSS-UG) DEGREE EXAMINATION, NOVEMBER 2022

Mathematics

### MTS 5B 08-LINEAR PROGRAMMING

(2020 Admission onwards)

Time : Two Hours

Maximum : 60 Marks

#### Section A

Answer any number of questions. Each question carries 2 marks. Ceiling is 20.

- 1. Define optimal solution.
- 2. Draw and shade a bounded polyhedral convex subset in  $\mathbb{R}^2$ .
- 3. Represent the following linear programming problem into canonical slack minimization linear programming problem;

Minimize  $c(x_1, x_2, x_3) = 20x_1 + 30x_2 + 25x_3$  subject to

 $\begin{aligned} x_1 + 2x_2 + 2x_3 &\geq 200 \\ 2x_1 + 2x_2 + x_3 &\geq 150 \\ x_1, x_2, x_3 &\geq 0 \end{aligned}$ 

4. Pivot on 5 in the canonical maximum tableau given below :

$x_1$	$x_2$	-1		
1	2	3	=	$-t_1$
4	5	6	=	$-t_2$
7	8	9	=	f

- 5. Write the simplex algorithm for maximum basic feasible tableaus.
- 6. Define negative transpose.

**Turn over** 

```
248048
```

 $\mathbf{2}$ 

- D 30571
- 7. Consider the canonical minimization linear programming problem given below :

Minimize  $g(y_1, y_2) = -y_2$  subject to

 $\begin{array}{l} y_1 - y_2 \geq 1 \\ -y_1 + y_2 \geq 2 \\ y_1, y_2 \geq 0. \end{array}$ 

State the dual canonical maximization linear programming problem.

- 8. If a canonical maximization linear programming problem is unbounded, prove that the dual canonical minimization linear programming problem is infeasible.
- 9. Define complementary slackness.
- 10. Explain von Neumann minimax theorem.
- 11. Explain briefly the minimum entry method to obtain an initial basic feasible solution in transportation problem..
- 12. What is an assignment problem ?

#### **Section B**

Answer any number of questions. Each question carries 5 marks. Ceiling is 30.

13. Using geometrical method, solve the following linear programming problem :

Maximize f(x, y) = 5x + 2y subject to

 $x + 3y \le 14$  $2x + y \le 8$  $x, y \ge 0.$ 

14. Solve the following canonical linear programming problem by simplex method :

-1x у -2-1-1-2 0 1 -21 1 = 3 0 -1f

15. Solve the noncanonical linear programming problem given below :

Maximize f(x, y) = x + 3y subject to

 $x + 2y \le 10$  $3x + y \le 15$  $x \ge 0.$ 

- 16. State and prove duality theorem.
- 17. Find the von Neumann value and the optimal strategy for each players in the matrix game given below :

		11		
	2	1	4	2
	1	2	1	1
Ι	-2	6	3	1 -2
	3	-3	<b>5</b>	1
	1	2	2	1

тτ

18. Explain briefly north west corner method and use it to obtain the initial basic feasible solution of the transportation problem given below :

2	1	2	4	0
9	4	7	6	0
1	2	9	1	0
40	50	20		

19. Solve the assignment problem given below :

38	21	34
41	14	36
28	20	25

Section C

Answer any **one** question. The question carries 10 marks.

20. Solve the dual noncanonical linear programming problem given below :

	$(x_1)$	$x_2$	$x_2$	-1	
$(y_1)$	0	-1	-1	-1	= 0
$y_2$	-1	-3	4	0	$= -t_{1}$
$y_3$	-1	2	-3	0	$= -t_{2}$
-1	-1	0	0	0	= f
	= 0	$=s_1$	$= s_2$	= g	

**Turn over** 

D 30571

21. Write transportation algorithm and use this algorithm solve the following transportation problem :

4

5	12	8	50	26
11	4	10	8	20
14	50	1	9	30
15	20	26	15	

 $(1 \times 10 = 10 \text{ marks})$ 

(Pages:4)

Namo	e	•••••	•••••	 •••••	••••
Reg.	No			 	•••••

# FIFTH SEMESTER (CBCSS—UG) DEGREE EXAMINATION NOVEMBER 2022

Mathematics

MTS 5B 08—LINEAR PROGRAMMING

(2019 Admissions only)

Time : Two Hours

Maximum : 60 Marks

#### Section A

Answer any number of questions. Each question carries 2 marks. Ceiling is 20.

1. Convert the following linear programming problem into canonical form :

Maximize f(x, y) = -2y - x subject to

$$2x - y \ge -1$$
  

$$3y - x \le 8$$
  

$$x, y \ge 0.$$

- 2. Draw and shade the region of a bounded polyhedral convex subset of  $\mathbb{R}^2$  in the first quadrant.
- 3. Represent the following linear programming problem into canonical slack form :

Maximize  $f(x_1, x_2) = 200x_1 + 150x_2$  subject to

$$\begin{aligned} x_1 + 2x_2 &\leq 20 \\ 2x_1 + 2x_2 &\leq 30 \\ 2x_1 + x_2 &\leq 25 \\ x_1, x_2 &\geq 0. \end{aligned}$$

- 4. Define infeasible linear programming problem.
- 5. Pivot on 4 in the canonical maximum tableau given below :

x	У	- 1	
1	2	3	$= -t_1$
4	5	6	$= -t_{2}$
7	8	9	= <i>f</i>

**Turn over** 

D 30562

- 6. Write the simplex algorithm for minimum tableaus.
- 7. What do you mean by complementary slackness ?
- 8. State Duality theorem.
- 9. Consider the canonical minimization linear programming problem given below :

Minimize  $g(y_1, y_2) = -y_2$  subject to

$$y_1 - y_2 \ge 1$$
  
-  $y_1 + y_2 \ge 2$   
 $y_1, y_2 \ge 0.$ 

State the dual canonical maximization of the linear programming problem.

10. Using VAM to obtain an initial basic feasible solution of the transportation problem given below :

3	2	1	30
2	5	9	75
40	30	50	

- 11. Write the Hungarian algorithm for solving assignment problem.
- 12. Explain Northwest-corner method for obtaining initial basic feasible solution in transportation problem.

#### **Section B**

Answer any number of questions. Each question carries 5 marks. Ceiling is 30.

13. Solve the following linear programming problem by geometrical method :

Maximize f(x, y) = 5x + 2y subject to  $x + 3y \le 14$   $2x + y \le 8$  $x, y \ge 0.$ 

14. Solve the following canonical linear programming problem using simplex algorithm :

247980

15. Solve the following canonical linear programming problem by simplex method :

$x_1$	1	– 1	- 2
$x_2$	1	- 1	4
- 1	3	- 2	0
	$=t_1$	$=t_2$	g

16. Solve the non-canonical linear programming problem given below :

Maximize f(x, y) = x + 3y subject to  $x + 2y \le 10$   $3x + y \le 15$  $x \ge 0.$ 

- 17. Write the dual simplex algorithm for minimum tableaus.
- 18. A company wishes to assign five of its worker to five different jobs (one worker to each job and vice versa). The rating of each with respect to each job on a scale of 0 to 10 (10 being high rating) is given by the following table :

	$\mathbf{J}_1$	$J_2$	$\mathbf{J}_3$	$\mathbf{J}_4$	$\mathbf{J}_5$
$W_1$	5	4	2	8	5
$W_2$	7	6	4	6	9
$W_3$	5	5	3	3	2
$W_4$	4	3	5	5	4
$W_5$	3	6	4	10	2

If the company wishes to maximize the total rating of the assignment, find the optimal assignment plan and corresponding maximum total rating.

19. Apply the minimum entry method to obtain the initial basic feasible solution for the transportation problem given below :

4	5	5
3	2	7
6	3	9
7	5	4
14	11	

**Turn over** 

D 30562

#### Section C

4

## Answer any **one** question. Each question carries 10 marks. Maximum marks 10.

## 20. Apply simplex algorithm to the maximum tableau :

$x_1$	$x_2$	- 1	
- 1	- 2	- 3	$= -t_1$
1	1	3	$= -t_{2}$
1	1	2	$= -t_{3}$
- 2	4	0	= <i>f</i>

 $21. \quad {\rm Write\ transportation\ algorithm.\ Using\ this\ algorithm\ solve\ the\ following\ transportation\ problem:}$ 

5	12	8	50	26
11	4	10	8	20
14	50	1	9	30
15	20	26	15	

 $(1 \times 10 = 10 \text{ marks})$ 

D 10669

Nam	e	•••••	 •••••	
Reg.	No		 	

## FIFTH SEMESTER U.G. DEGREE EXAMINATION, NOVEMBER 2021

(CBCSS-UG)

Mathematics

#### MTS 5B 08—LINEAR PROGRAMMING

 $(2019 \ Admissions)$ 

Time : Two Hours

Maximum : 60 Marks

#### Section A

Answer at least **eight** questions. Each question carries 3 marks. All questions can be attended. Overall Ceiling 24.

- 1. Define canonical minimization linear programming problem.
- 2. Give an example of a bounded polyhedral convex subset in  $\mathbb{R}^2$ .
- 3. State the canonical minimization linear programming problem represented by the following tableau :

- 4. Define unbounded linear programming problem.
- 5. Pivot on 5 in the canonical maximum tableau given below :

- 6. Write the simplex algorithm for maximum tableaus.
- 7. What do you mean by complementary slackness?
- 8. State Duality theorem.

**Turn over** 

16011

9. Consider the canonical maximization linear programming problem given below ;

Maximize  $f(x_1, x_2) = x_1$  subject to

$$\begin{array}{l} x_1 + x_2 \leq 1 \\ x_1 - x_2 \geq 1 \\ x_2 - 2x_1 \geq 1 \\ x_1, x_2 \geq 0 \end{array}$$

state the dual canonical minimization of the linear programming problem.

- 10. Distinguish between balanced and unbalanced transportation problem.
- 11. Using VAM to obtain a basic feasible solution of the transportation problem given below :

4	5	5
3	2	7
6	3	9
7	5	4
14	11	

12. Explain the minimum entry method for obtaining initial basic feasible solution in transportation problem.

 $(8 \times 3 = 24 \text{ marks})$ 

#### **Section B**

Answer at least **five** questions. Each question carries 5 marks. All questions can be attended. Overall Ceiling 25.

13. Solve the following linear programming problem by geometrical method.

Maximize f(x, y) = -2y - x subject to

 $2x - y \ge -1$  $3y - x \le 8$  $x, y \ge 0.$ 

14. Solve the following canonical linear programming problem using simplex algorithm :

$= -t_1$
$= -t_2$
=f
;

15. Solve the canonical linear programming problem using simplex algorithm :

x	- 2	1	- 3
у	1	-2	- 2
- 1	1	0	0
	$= t_1$	$= t_2$	g

16. Solve the non-canonical linear programming problem given below

Maximize f(x, y, z) = 2x + y - 2z subject to

 $\begin{aligned} x+y+z &\leq 1\\ y+4z &= 2\\ x,y,z &\geq 0. \end{aligned}$ 

- 17. Write the dual simplex algorithm for minimum tableaus.
- 18. Solve the transportation problem given below :

	$\mathbf{M}_{1}$	${\rm M}_2$	${\rm M}_3$	
$W_1$	2	1	2	50
$W_2$	9	4	7	70
$W_3$	1	2	9	20
	40	50	20	

19. Apply Northwest-corner method to obtain the initial basic feasible solution of the transportation problem given below :

7	2	4	10
10	5	9	20
7	3	5	30
20	10	30	

 $(5 \times 5 = 25 \text{ marks})$ 

#### Section C

Answer any **one** question. The question carries 11 marks.

20. Solve the canonical linear programming problem given below using the simplex algorithm.

x	У	z	- 1	
1	2	1	4	$= -t_{1}$
2	1	5	5	$= -t_{2}$
3	2	0	6	$= -t_{3}$
1	2	3	0	= f

**Turn over** 

## D 10669

21. Write the Hungarian algorithm. Using this algorithm solve the following assignment problem :

2	3	2	4
5	8	4	3
5	9	5	2
7	6	7	4

(1 × 11 = 11 marks)